Approved For Release 2005/05/20 : CIA-RDP78B04776A001700010010-3

ATTENTION: TECHNICAL DEVELOPMENT BOARD MEMBERS

THE INFORMATION CONTAINED IN THE ATTACHED PAPERS
IS NOT TO BE RELEASED OR REVEALED TO ANY CONTRACTOR UNTIL
AFTER THE CONTRACT INVOLVED HAS BEEN LET BY THE OFFICE OF
LOGISTICS. IT IS ESPECIALLY IMPORTANT THAT THE IDENTITY OF
THE SUCCESSFUL CONTRACTOR NOT BE DIVULGED IN ANY WAY WHICH
COULD LEAD TO ITS BECOMING KNOWN BY OTHER CONTRACTORS OR
POTENTIAL CONTRACTORS.

Declass Review by NGA.

Approved For Release 2005/05/20: CIARDP78B04770A001700010010-3

NPIC/TDB-A-9/66

26 January 1966

TECHNICAL DEVELOPMENT BOARD

AGENDA

Time: 0900 hours, 2 February 1966

Place: 4N412

1. Announcements

a. Approval of Minutes

The minutes of the last TDB meeting were noted and recommended items approved by the Assistant for Administration for the Executive Director on 24 January 1966. In addition, they were reviewed by the Director, NPIC, who concurred in the recommendations.

- b. Proposals (See Attachment A to the Agenda)
- c. Interim Action

(1)	overrun on the P.I. Performance and Techniques Study for FY-64 in the amount of This action was taken because the overrun costs were less than twenty per cent of the original contract price. The total	25X1
	contract price is now	25X1
(2)	Overrun on Contract Task Order #3, Panoramic Stereo Viewer Prototype, for FY-62 in the amount of This increases the total amount of the contract for FY-62	25X1 25X1 25X1 25X1

New Business

Plotter Marking System,

Fibre-Optic Viewer Modification,

Automatic Target Recognition Program,

25X1

25X1 **25**×1

SECRET

Approved For Release 2005/05/20 : CIA-RDP78B04770A001700010010-3

Attachment A

. NPIC/TDB-A-9/66

26 January 1966

1. b. Proposals

(1)) New P	roposals	
25X1	58/66	Advanced Rear Projection Viewer,	25X1
	59/66	Image Comparison Microstereoscope Viewer,	25X1 25X1
	' 60/66	Automatic Target Recognition Program,	25 ×1
	61/66	Automatic Target Recognition Program,	25×1
	62/66	Rear Projection Viewer	
	63/66	Automatic Target Recognition Program,	25X1 25X1
	4 64/66	Automatic Target Recognition System,	25×1
25X1	65/66	Automatic Target Recognition System,]
25X1	66/66	Image Comparison Microstereoscope,	25X1
25X1	67/66	Automatic Photo Interpretation System,	25X1
25X1	68/66	Automatic Tracking Recognition System,	25X1
. 7	69/66	Automatic Target Recognition System,	25X1
25X1	70/66	Automatic Target Recognition System,	25X1
25X1	71/66	Automatic Target Recognition System,	25X1

Approved For Release 2005/05/20 CIA-RDP78B04770A001700010010-3

Approved For Release 2005/05/20 : CIA-RDP78B04770A001700010010-3

25X1

25X1

25X1

25X1

25X1

25X1

25X1

25X1

Attachment A

NPIC/TDB-A-9/66 (Continued) 26 January 1966 Proposals l. (1)New Proposals (Continued) 10 72/66 Automatic Target Recognition Program, 25X1 25X1 73/66 Automatic Target Recognition Program, 11 25X1 74/66 Advanced Rear Projection Viewer, 25X1 75/66 Rear Projection Viewer, **25**×1 76/66 Advanced Rear Projection Viewer, 82/66 Unconventional Imagery Systems, 25X1 85/66 Image Comparison Microstereoscope, 25X1 86/66 Automatic Target Recognition System 17 25X1 87/66 Automatic Target Recognition Program, 25X1 25X1 88/66 Automatic Target Recognition Program, 25X1 89/66 Analysis, Study: Image Exploitation Module -25X1 90/66 Imagery Exploitation Module Study, 25X1 25X1 91/66 Imagery Exploitation Module Study, 25X1 25X1 92/66 Pen System Study for Plotter,

Approved For Release 2005/05/20 : CIA-RDP78B04770A001700010010-3

Attachment A

NPIC/TDB-A-9/66 (Continued)

26 January 1966

1. b. Proposals

25X1

25X1

25X1

25X1

25X1

(1)	New Proposals (Continued)
	93/66 Advanced Rear Projection Viewer, 2
	94/66 Unconventional Imagery Exploitation Program 2
	95/66 Unconventional Imagery Exploitation Systems, 2
	96/66 Unconventional Imagery Exploitation, 2
	97/66 Unconventional Imagery Exploration Program, 2
	98/66 Unconventional Imagery Problem, 2
	99/66 Unconventional Imagery Exploration System, 2
	100/66 Unconventional Imagery System, 2
	101/66 Imagery Exploration Module Concept Study, 2
	102/66 Imagery Exploration Module Study, 2
	103/66 Imagery Exploration Module Study, 2
	104/66 Unconventional Imagery Exploration, 2
·	105/66 Unconventional Imagery Systems, 2
. ;	106/66 Unconventional Imagery Systems,

Approved For Release 2005/05/20 : CIA-RDP78B04770A001700010010-3

Approved For Release 2005/05/20 : CIA-RDP78B04770A001700010010-3

Attachment A NPIC/TDB-A-9/66 26 January 1966 1. b. Proposals (2) Rejected Proposals 30/65 Training & Service of Equipment identified by 25X1 Project 405A-102 Parametric Study of Image Intensifier Night Aerial Reconnsissance System, Ref: Proposal AD-12 -**25**×1 97/65 Investigate the Enhancement of Photographic Images by Viewing Images in Rapid Succession, 100/65 Technical Study of Imagery Reconstructed from Electronic Data-25X1 101/65 Use of Lasers in Enlargers which include Automatic Dodging -25X1 117/65 Study Frogram for the Improvement of Imagery in Rear Projection Viewers, 25X1 25X1 145/66 A Proposed Study of Human Visual Integration, 146/65 Human Visual Integration Study, 25X1 164/65 Proposal for Image Quality Meter, 25X1 165/65 Laser Display Experimental Program, 25X1

177/65 Variable Resolution Transmitter & Receiver Stations,

31/66 Proposal for Photographic Paper Surface Application

22/66 Human Factor Problems in Image Interpretation

25X1

25X1

25X1 25X1

25X1

Company cancelled

25X1

25X1

25X1

25X1

Approved For Release 2005/05/20: CIA-RDP78B04770A001700010010-3

169/65 Film Marking Study,

Processor

proposal

Approved For Release 2005/05/201 CIA-RDP78B04770A001700010010-3

Attachment A

NPIC/IDB-A-9/66 (Continued)

26 January 1966

1. b. Proposals

25X1

25X1

(2)	Reject	ed Proposals (Continued)	
	41/66	Human Factors Research Program	25X1
	42/66	Human Factors Research Program,	25X1
	54/66	Image Analysis Research Program,	25X1
	77/66	Automatic Stereo Projector,	25X1
	79/66	Automatic Stereo Systems,	25X1
	80/66	Automatic Stereo Scanner,	25X1
	81/66	Automatic Stereo Scanning Systems,	25X1
	83/66	Automatic Stereo Scanning System,	25X1
	84/66	Automatic Stereo Scanning Program,	25X1

25X1

25X1

25X1

25X1

25X1

καυ σ	- 2005/05/20 : CIA-RDP78B04770A00 ATALOG FORM	28 December 1965
. PROJECT TITLE/CODE NAME	2. SHORT PROJECT DESCRIPTION	
Plotter Marking System	Improved marking system Precision Coordinatograp	for the High-speed
	4. LOCATION OF CON	TRACTOR
ACHTELATOR HANG	14. EUCATION OF CON	111111111111111111111111111111111111111
. CLASS OF CONTRACTOR	6. TYPE OF CONTRACT	}
Manufacturer	Time and Materials	
. FUNDS	a. REQUISITION NO.	9. BUDGET PROJECT NO.
FY 19 \$		NP-IO-11
TPV 1066 6	10. EFFECTIVE CONTRACT DATE (Begin - end)	AA-Confidential
FY 1966 \$		T-Unclassified
FY 19 \$	January 1966 - April 1966	W-Unclassified
. RESPONSIBLE DIRECTORATE/OFFICE/	PROJECT OFFICER TELEPHONE EXTENSION	
DDI/NPIC/P&DS		
mba III-h amana Dragicion	Coordinatograph manufactured	by under 2
Control of ond instal	led at NPIC in July 1965 requi	res a more positive
Contract and instal	supplied with the instrument.	
	pubbared aroundite amount	
. TYPE OF WORK TO BE DONE		
Study effort.	•	
5. CATEGORIES OF EFFORT		
MAJOR CATEGORY	SUB-	CATEGORIES
Immediate Operational	Marking Systems	
Modifications	Pens	
:	Inks	
	Electrographic	
6. FND ITEM OR SERVICES FROM THIS	CONTRACT/IMPROVEMENT OVER CURRENT SYSTE	M. EQUIPMENT, ETC.
the best most	rking system applicable to the	existing instrument and
A report on the best man	TAINS By great apprinted to one	endations.
meeting NPIC requirement	s together with design recomme	_
		2:
	s (Agency & Other)/COORDINATION	
7. SUPPORTING OR RELATED CONTRACTS		79 0†
7. SUPPORTING OR RELATED CONTRACTS COORdination has been e	ffected with IPD and PD. Cont:	ract
7. SUPPORTING OR RELATED CONTRACTS COORdination has been e		ract graph.
7. SUPPORTING OR RELATED CONTRACTS COORdination has been e	ffected with IPD and PD. Cont:	ract graph.
7. SUPPORTING OR RELATED CONTRACTS Coordination has been emprovided the Hamiltonian for the Hamiltonian f	ffected with IPD and PD. Contrigh-speed Precision Coordinato	grapn.
7. SUPPORTING OR RELATED CONTRACTS Coordination has been emprovided the H. 8. DESCRIPTION OF INTELLIGENCE REPORTS	ffected with IPD and PD. Contigh-speed Precision Coordinato	graph. PTION OF PROJECT (Continue on addi-
7. SUPPORTING OR RELATED CONTRACTS COORDINATION has been ended to the Head of	ffected with IPD and PD. Contigh-speed Precision Coordinato, OUTREMENT AND DETAILED TECHNICAL DESCRIP	graph. TION OF PROJECT (Continue on addi- on Coordinatograph (plotte:
7. SUPPORTING OR RELATED CONTRACTS COORDINATION has been expressed to provided the Hamber of the Hamber of the Hamber of the Hamber of the existing marking system of the existing markin	ffected with IPD and PD. Contigh-speed Precision Coordinato, OUTREMENT AND DETAILED TECHNIQAL DESCRIP- stem on the High-speed Precisi sfactory. The ink currently i	graph. PTION OF PROJECT (Continue on addi- on Coordinatograph (plotte: n use is a slow drying
7. SUPPORTING OR RELATED CONTRACTS COORDINATION has been expressed to provided the Hamber of the Hamber of the Hamber of the existing marking system of th	ffected with IPD and PD. Contigh-speed Precision Coordinato, OUTREMENT AND DETAILED TECHNIQAL DESCRIP- stem on the High-speed Precisi sfactory. The ink currently i	graph. PTION OF PROJECT (Continue on addi- on Coordinatograph (plotte: n use is a slow drying
7. SUPPORTING OR RELATED CONTRACTS COORDINATION has been emprovided the Himself provided the Himself page if required) The existing marking symplectic symplectic properties as used in oscillations.	ffected with IPD and PD. Contingh-speed Precision Coordinato, outrement and Detailed Technique Description on the High-speed Precisisfactory. The ink currently incillograph recorders. This ty	graph. PTION OF PROJECT (Continue on addi- on Coordinatograph (plotte: n use is a slow drying pe is necessary to allow
7. SUPPORTING OR RELATED CONTRACTS Coordination has been emprovided the Hamiltonian provided the Hamiltonian page if required. The existing marking symbol is operationally unsationally	ffected with IPD and PD. Contingh-speed Precision Coordinato, outrement and Detailed Vecknical Description on the High-speed Precisisfactory. The ink currently incillograph recorders. This tying operation. However, the description of the des	graph. PTION OF PROJECT (Continue on addi- on Coordinatograph (plotte: n use is a slow drying pe is necessary to allow rying properties make
Coordination has been emprovided the Himpore of the provided the Himpore of the page if required. The existing marking symmetric is operationally unsationally u	ffected with IPD and PD. Contingh-speed Precision Coordinato, outrement and Detailed Vecknical Description on the High-speed Precisisfactory. The ink currently icillograph recorders. This tying operation. However, the dimmediate handling. In additio	graph. TION OF PROJECT (Continue on addition Coordinatograph (plotte: n use is a slow drying pe is necessary to allow rying properties make n, the free-flow
Coordination has been emprovided the Hambers of the existing marking system type such as used in ost free-flowing, non-clogg the plot unusable for it characteristics of the	ffected with IPD and PD. Contingh-speed Precision Coordinator of the High-speed Precision stactory. The ink currently incillograph recorders. This tying operation. However, the dimmediate handling. In additionink causes frequent spattering	graph. PTION OF PROJECT (Continue on addition Coordinatograph (plotte: n use is a slow drying pe is necessary to allow rying properties make on, the free-flow in the dotting and
7. SUPPORTING OR RELATED CONTRACTS Coordination has been emprovided the Hamiltonian provided the Hamiltonian page if required) The existing marking symmetric is operationally unsationally unsationally unsationally unsationally and the plot unusable for in	ffected with IPD and PD. Contingh-speed Precision Coordinator of the High-speed Precision stactory. The ink currently incillograph recorders. This tying operation. However, the dimmediate handling. In additionink causes frequent spattering	graph. TION OF PROJECT (Continue on addition Coordinatograph (plotte: n use is a slow drying pe is necessary to allow rying properties make n, the free-flow
Coordination has been emprovided the Himprovided the Himprovided the Himprovided the Himprovided the Himprovided the Himprovided to the page if required. The existing marking symmetric type such as used in ostree-flowing, non-clogg the plot unusable for incharacteristics of the lettering modes. The p	ffected with IPD and PD. Contingh-speed Precision Coordinator of the High-speed Precision stactory. The ink currently incillograph recorders. This tying operation. However, the dimmediate handling. In additionink causes frequent spattering	graph. PTION OF PROJECT (Continue on addition Coordinatograph (plotter n use is a slow drying pe is necessary to allow rying properties make an, the free-flow in the dotting and
Coordination has been emprovided the Himself provided the Himself page if required) The existing marking symbol is operationally unsationally unsable for incharacteristics of the lettering modes. The p	ffected with IPD and PD. Contingh-speed Precision Coordinator of the High-speed Precision stactory. The ink currently incillograph recorders. This tying operation. However, the dimmediate handling. In additionink causes frequent spattering	graph. PTION OF PROJECT (Continue on addition Coordinatograph (plotte: n use is a slow drying pe is necessary to allow rying properties make an, the free-flow; in the dotting and plotter (Continue on addition)
Coordination has been emprovided the Himprovided to the page if required. The existing marking symbol is operationally unsationally unsable for incharacteristics of the lettering modes. The purpose by and date	ffected with IPD and PD. Contingh-speed Precision Coordinator Stem on the High-speed Precisisfactory. The ink currently icillograph recorders. This tying operation. However, the dimmediate handling. In additionink causes frequent spattering en now in use is an	graph. PTION OF PROJECT (Continue on addition Coordinatograph (plotte: n use is a slow drying pe is necessary to allow rying properties make an, the free-flow; in the dotting and plotter (Continue on addition)
Coordination has been emprovided the Himprovided to the page if required. The existing marking symbol is operationally unsationally unsable for incharacteristics of the lettering modes. The purpose by and date	ffected with IPD and PD. Contingh-speed Precision Coordinator Stem on the High-speed Precisisfactory. The ink currently icillograph recorders. This tying operation. However, the dimmediate handling. In additionink causes frequent spattering en now in use is an	graph. PTION OF PROJECT (Continue on addition Coordinatograph (plotte: n use is a slow drying pe is necessary to allow rying properties make an, the free-flow; in the dotting and plotter (Continue on addition)
Coordination has been emprovided the Himself and provided the Himself and provided the Himself and page if required) The existing marking system is operationally unsativative such as used in ostree-flowing, non-clogg the plot unusable for it characteristics of the lettering modes. The possible approved by and date	outrement and detailed Technical Description on the High-speed Precisis stactory. The ink currently i cillograph recorders. This tying operation. However, the dimmediate handling. In additionink causes frequent spattering en now in use is an Deci	graph. PTION OF PROJECT (Continue on addition Coordinatograph (plotter n use is a slow drying pe is necessary to allow rying properties make an, the free-flow in the dotting and plotter (Continue on addition of the continue of the contin
Coordination has been emprovided the Himself provided the Himself page if required) The existing marking system is operationally unsationally unsat	ffected with IPD and PD. Contingh-speed Precision Coordinator Stem on the High-speed Precisisfactory. The ink currently icillograph recorders. This tying operation. However, the dimmediate handling. In additionink causes frequent spattering en now in use is an	graph. PTION OF PROJECT (Continue on addition Coordinatograph (plotte n use is a slow drying pe is necessary to allow rying properties make an, the free-flow in the dotting and plotter (Continue of additional plotter)

Approved For Release 2005/05/20: CIA-RDP78B04770A001700010010-3

18. Continued...

pen with a modified ink supply which allows a long plotting period.

The original plotter contract was fixed price at a cost of with a twelve month delivery schedule. Instead, delivery was made et months after contract and cost the contractor approximately additional. In view of the delayed delivery, the additional costs incurred, internal pressure for use and lack of available manpower, it was decided to ship, install and test the plotter without an extended evaluation at the contractor's facility. The marking system, at the time of installation, performed satisfactorily and acceptance of the plotter was made. However, since that time, it has become evident that constant cleaning and manipulation of the marking system is necessary to keep it operational. If this could be performed on a routine basis (daily or oftener if required) the system would operate more satisfactorily. However, this would not solve the slow drying problem which restricts the intended use of the plotter.

25X1

25X1

proposes to study all existing marking systems. They will then select and purchase components of those systems most applicable to the coordinatograph as it will be used by NPIC. breadboard the systems, evaluate the results, and select and report on the most promising system.

> The effort is planned as a four month program and will be either a fixed price or time and materials contract. It is estimated to require approximately two man-months of senior engineering effort and approximately one man-month each of drafting, technician and machinist effort plus of purchased materials.

25X1

25X1